EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	. 2	"5004554".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:30
L2	2	("5004554").URPN.	USPAT	OR	ON	2006/10/03 06:17
L3	6	("5431833").URPN.	USPAT	OR	ON	2006/10/03 06:21
L4	2	"5431833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 07:34
L5	337	560/182.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON.	2006/10/03 07:35
L6	2	"5536425".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:35
L7	6706	perfluoropolyether	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:19
L8	822698	ester	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/10/03 09:36
L9	63	17 adj 18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:39
L10	134707	dicarboxylic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:56
L11	6	l9 and l10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:41
L12	1	"03756649"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:48
L13	2	"6013712".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:52

EAST Search History

L14	2	"6103677".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:55
L15	2	"6469217".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 09:55
L16	576502	polyester	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:20
L17	1201	17 and 116	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:20
L18	134	17 same 116	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:20
L19	56	I7 near10 I16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:20
L20	1	(dicarboxylic and (perfluoropolyether adj ester)and diol).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:58
L21	2	(dicarboxylic and (perfluoropolyether and ester)and diol).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/10/03 10:59
L22	2	(dicarboxylic and (perfluoropolyether and ester)and diol).clm.	US-PGPUB	OR	ON	2006/10/03 11:09
L23	85	(dicarboxylic and (perfluoropolyether)and diol)	US-PGPUB	OR	ON	2006/10/03 13:23
L24	0	I5 and I23	US-PGPUB	OR	ON	2006/10/03 11:09
L25	4	508/455.ccls.	US-PGPUB	OR	ON	2006/10/03 13:23

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International . * * * * * * * * *

```
NEWS
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
                 "Ask CAS" for self-help around the clock
NEWS
         FEB 27
                 New STN AnaVist pricing effective March 1, 2006
NEWS
         MAY 10
                 CA/Caplus enhanced with 1900-1906 U.S. patent records
NEWS
         MAY 11
                 KOREAPAT updates resume
NEWS
         MAY 19
                 Derwent World Patents Index to be reloaded and enhanced
                 IPC 8 Rolled-up Core codes added to CA/CAplus and
NEWS
         MAY 30
                 USPATFULL/USPAT2
NEWS
         MAY 30
                 The F-Term thesaurus is now available in CA/CAplus
NEWS
         JUN 02
                 The first reclassification of IPC codes now complete in
                 INPADOC
NEWS 10
         JUN 26
                 TULSA/TULSA2 reloaded and enhanced with new search and
                 and display fields
NEWS 11
         JUN 28
                 Price changes in full-text patent databases EPFULL and PCTFULL
NEWS 12
         JUl 11
                 CHEMSAFE reloaded and enhanced
NEWS 13
         JUl 14
                 FSTA enhanced with Japanese patents
NEWS 14
        JUl 19
                 Coverage of Research Disclosure reinstated in DWPI
NEWS 15
        AUG 09
                 INSPEC enhanced with 1898-1968 archive
        AUG 28 ADISCTI Reloaded and Enhanced
NEWS 16
NEWS 17
         AUG 30
                 CA(SM)/CAplus(SM) Austrian patent law changes
NEWS 18
         SEP 11
                 CA/CAplus enhanced with more pre-1907 records
NEWS 19
         SEP 21
                 CA/CAplus fields enhanced with simultaneous left and right
                 truncation
                 CA(SM)/CAplus(SM) display of CA Lexicon enhanced
NEWS 20
         SEP 25
NEWS 21
         SEP 25
                 CAS REGISTRY (SM) no longer includes Concord 3D coordinates
                 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS 22
         SEP 25
NEWS 23
         SEP 28
                 CEABA-VTB classification code fields reloaded with new
                 classification scheme
NEWS 24
        OCT 02
                 MARPAT(R) now updated daily
              JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT
NEWS EXPRESS
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.
              STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS LOGIN
              Welcome Banner and News Items
NEWS IPC8
              For general information regarding STN implementation of IPC 8
NEWS X25
              X.25 communication option no longer available
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:44:53 ON 03 OCT 2006

=>

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 09:45:12 ON 03 OCT 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 3 Oct 2006 VOL 145 ISS 15 FILE LAST UPDATED: 2 Oct 2006 (20061002/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> perfluoropolyether

1941 PERFLUOROPOLYETHER

705 PERFLUOROPOLYETHERS

L1 2156 PERFLUOROPOLYETHER

(PERFLUOROPOLYETHER OR PERFLUOROPOLYETHERS)

=> dicarboxylic

63242 DICARBOXYLIC

12 DICARBOXYLICS

L2 63244 DICARBOXYLIC

(DICARBOXYLIC OR DICARBOXYLICS)

=> 11 and 1;2

1512246 L

L3 113 L1 AND L

SYSTEM LIMITS EXCEEDED - SEARCH ENDED

The search profile you entered was too complex or gave too many answers. Simplify or subdivide the query and try again. If you have exceeded the answer limit, enter DELETE HISTORY at an arrow prompt (=>) to remove all previous answers sets and begin at L1. Use the SAVE command to store any important profiles or answer sets before using DELETE HISTORY.

=> 11 and 12

L4 13 L1 AND L2

=> d 14 1-13 ti

L4 ANSWER 1 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN

TI Lubricant composition

- L4 ANSWER 2 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Durable magnetic tapes for helical scanning-type recording apparatus and manufacture thereof
- L4 ANSWER 3 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Perfluoropolyether ester compound, lubricant and magnetic recording medium
- L4 ANSWER 4 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Polyamide compositions showing low water absorption and their articles with good dimensional stability and sliding performance
- L4 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI A study of the thermal decarboxylation of three perfluoropolyether salts
- L4 ANSWER 6 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Particulate magnetic recording tape showing durable lubricating ability in running
- L4 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Process for preparing perfluoropolyethers
- L4 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Lubricants and magnetic recording media using them
- L4 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Preparation of heat- and cold-resistant solid elastomeric copolymer by polyaddition of perfluoropolyether dicarboxylic acids
- L4 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Perfluoropolymer dispersions with improved stability for coatings and additives for detergents and polishing compositions
- L4 ANSWER 11 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Improved method for synthesis of difunctional fluoroalcohols
- L4 ANSWER 12 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Synthesis of perfluoro(polyether) difunctional compounds
- L4 ANSWER 13 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Perfluorinated rubbery polymers
- => d 14 5,7-13 ti fbib abs
- L4 ANSWER 5 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI A study of the thermal decarboxylation of three perfluoropolyether salts
- AN 2003:926771 CAPLUS
- DN 140:181065
- TI A study of the thermal decarboxylation of three perfluoropolyether salts
- AU Marchionni, G.; Petricci, S.; Spataro, G.; Pezzin, G.
- CS Solvay Solexis R&T, Milan, 20021, Italy
- SO Journal of Fluorine Chemistry (2003), 124(2), 123-130 CODEN: JFLCAR; ISSN: 0022-1139
- PB Elsevier Science B.V.
- DT Journal
- LA English
- AB The thermal decarboxylation of three dicarboxylic perfluoropolyether potassium salts of relatively short chain length has been investigated and the products and kinetics of the main reactions have been defined. From the rate consts. and Arrhenius

parameters data, the second decarboxylation appears to be quant. rather close to the first.

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L4 ANSWER 7 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Process for preparing perfluoropolyethers
- AN 2001:814056 CAPLUS
- DN 135:358347
- TI Process for preparing perfluoropolyethers
- IN Saito, Satoru; Tatsu, Haruyoshi; Grinevskaya, Vera
- PA Nippon Mektron, Limited, Japan
- SO Eur. Pat. Appl., 25 pp.

CODEN: EPXXDW

- DT Patent
- LA English

FAN.CNT 1

| Trut. | C11 1 | - | | | | | | | | | | | | | | | | | | | |
|-------|------------|------|------|-----|-----|-----|-----------|-------|------|-----|-----------------|------|------|------|-----|-----|----|-------|------|--|--|
| • | PATENT NO. | | | | | | KIND DATE | | | | APPLICATION NO. | | | | | | | DATE | | | |
| | | | | | | | - | | | | · · | | | | | | | | | | |
| ΡI | EP | 1152 | 020 | | | A1 | | 2001 | 1107 | | ΕP | 200 | 1-3 | 3039 | 93 | | | 2001 | 0501 | | |
| | EΡ | 1152 | 020 | | | B1 | | 2005 | 0316 | | | | | | | | | | | | |
| | | R: | ΑT, | ΒE, | CH, | DE, | DK | , ES, | FR, | GB, | , GI | R,] | ľΤ, | LI, | LU, | NL, | SE | , MC | PT | | |
| | | | ΙE, | SI, | LT, | LV, | FI, | , RO | | | | | | | | | | | | | |
| | | | | | | | | | | | JP | 200 | 00-1 | 1325 | 90 | 1 | A | 20000 | 501 | | |
| | | | | | | | | | | | JΡ | 200 | 00-2 | 2295 | 85 | | A | 20000 | 728 | | |
| | JP | 2001 | 3164 | 68 | | A2 | | 2001 | 1113 | | JP | 200 | 00-3 | 1325 | 90 | | | 20000 | 501 | | |
| | JP | 2002 | 0378 | 80 | | A2 | | 2002 | 0206 | | JP | 200 | 00-2 | 2295 | 85 | | | 2000 | 728 | | |
| | US | 2001 | 0503 | 51 | | A1 | | 2001 | 1213 | | US | 200 | 1-8 | 3458 | 88 | | | 2001 | 0430 | | |
| | US | 6469 | 217 | | | B2 | | 2002 | 1022 | | | | | | | | | | | | |
| | | | | | | | | | | | JP | 200 | 00-1 | 1325 | 90 | | A | 20000 | 0501 | | |
| | | | | | | | | | | | JP | 200 | 00-2 | 2295 | 85 | | A | 20000 | 728 | | |
| | | | | | | | | | | | | | | | | | | | | | |

OS MARPAT 135:358347

AB Bifunctional title polymers with high d.p. and selectivity are manufactured by polymerization of perfluoroalkylene oxides in the presence of solns. of Cs salts

of perfluoro alcs. prepared by reaction of perfluoro dicarboxylic acid fluorides ≥72 h with CsF at 0-30° in aprotic solvents. These catalyst solns. exhibit good dispersion in the polymerization system. A typical catalyst, CsOCF2CF(CF3)OCF2CF2OCF(CF3)CF2OCs, was manufactured by reaction of 9 g CsF with 10.5 g FOCCF(CF3)OCF2CF2OCF(CF3)COF in 31.3 g tetraglyme for 12 h to 30 days.

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L4 ANSWER 8 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Lubricants and magnetic recording media using them
- AN 1999:683277 CAPLUS
- DN 131:301329
- TI Lubricants and magnetic recording media using them
- IN Furuya, Takahiro; Sasamoto, Sayaka; Mizumura, Tetsuo
- PA Hitachi Maxell, Ltd., Japan
- SO Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF

- DT Patent
- LA Japanese
- FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE | | |
|----|-------------|------|----------|-----------------|------|----------|--|
| | | | | | | | |
| PI | JP 11293269 | A2 | 19991026 | JP 1999-10126 | | 19990119 | |
| | | | | JP 1998-28292 | Α | 19980210 | |
| | US 6103677 | Α | 20000815 | US 1999-247513 | | 19990210 | |
| | | | | JP 1998-28292 | Α | 19980210 | |

AB Lubricants for magnetic recording media contain fluorinated dicarboxylic acids as major components having the general formula A1COOR1RfR2OCOA2, where Rf = perfluoropolyether group, R1 and R2

- = OH-containing C \geq 3 hydrocarbyl groups, A1 and A2 = R(S)kCH[(CH2)mCOOH](CH2)n, R = H or hydrocarbyl group, and m, n, and k = 0 or 1.
- L4 ANSWER 9 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Preparation of heat- and cold-resistant solid elastomeric copolymer by polyaddition of perfluoropolyether dicarboxylic acids
- AN 1999:208646 CAPLUS
- DN 130:268408
- TI Preparation of heat- and cold-resistant solid elastomeric copolymer by polyaddition of perfluoropolyether dicarboxylic acids
- IN Itaru, Harumi
- PA Nippon Mektron Co., Ltd., Japan
- SO Jpn. Kokai Tokkyo Koho, 4 pp. CODEN: JKXXAF
- DT Patent
- LA Japanese
- FAN.CNT 1

| | PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|----|-------------|------|----------|-----------------|----------|
| | | | | | |
| ΡI | JP 11080345 | A2 | 19990326 | JP 1997-249486 | 19970829 |
| | | | · | JP 1997-249486 | 19970829 |

- Title solid elastomer is prepared by polymerizing directly a perfluoropolyether dicarboxylic acid HOOCCFXO(CF2CFXO)p(CF2)r(OCFXCF2)qOCFXCOOH (I; X = F, CF3; p = q = 2-100; r = 2-5) with a bisimidazoline, a bisoxazoline, or a bisoxazine. Thus, 250 parts I (X = CF3; r = 2; p +q = 32) was reacted with 8.5 parts tetramethylene bisimidazoline (prepared from ethylene diamine and adiponitrile) to give a polymer having Tg -25° and Mooney viscosity ML1+10 (121°, L rotor) 15 pts.
- L4 ANSWER 10 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- TI Perfluoropolymer dispersions with improved stability for coatings and additives for detergents and polishing compositions
- AN 1999:96062 CAPLUS
- DN 130:140609
- TI Perfluoropolymer dispersions with improved stability for coatings and additives for detergents and polishing compositions
- IN Chittofrati, Alba; Lazzari, Paolo; Lenti, Daria
- PA Ausimont S.p.A., Italy
- SO Eur. Pat. Appl., 15 pp. CODEN: EPXXDW
- DT Patent
- LA English
- FAN.CNT 1

| | | _ | | | | | | | | | | | | | | | | | |
|----|------------|------------|------|-------------|-----|-----------|-----|----------|------|--------|--------|-------|-----|-----|-----|------|------------|--|--|
| | PATENT NO. | | | | | KIND DATE | | | AP | PLICAT | | DATE | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| ΡI | ΕP | 8948 | 38 | | | A2 | | 1999 | 0203 | EP | 1998- | 1141 | 38 | | 19 | 9807 | 29 | | |
| | EP 894838 | | | A3 19990602 | | | | | | | | | | | | | | | |
| | | R: | ΑT, | BE, | CH, | DE, | DK, | ES, | FR, | GB, G | R, IT, | LI, | LU, | NL, | SE, | MC, | PT, | | |
| | | | ΙE, | SI, | LT, | LV, | FI, | RO | | | | | | | | | | | |
| | | | | | | | | | | IT | 1997- | MI18 | 33 | Α | 19 | 9707 | ′31 | | |
| | US | US 6013712 | | | | Α | | 20000111 | | US | 1998- | 1249 | 66 | | 19 | 9807 | /30 | | |
| | | | | | | | | | | IT | 1997- | MI18: | 33 | Α | 19 | 9707 | ′31 | | |
| | JP | 1114 | 7987 | | | A2 | | 1999 | 0602 | JP | 1998- | 2182 | 12 | | 19 | 9807 | ′31 | | |
| | | | | | | | | | | IT | 1997- | MI18: | 33 | Α | 19 | 9707 | ′31 | | |

AB Title dispersions comprise 0.1-30 weight% of polytetrafluoroethylene or tetrafluoroethylene copolymers with other ethylenically unsatd. monomers, 50-99 weight% of a fluorinated liquid, a polar solvent (water and/or alc.) complement to 100, and 0.01-5 weight% of a surfactant. The surfactant can be (a) nonionic hydrogenated or (b) fluorinated, having a perfluoropolyether or perfluoroalkylic chain, being of both ionic and nonionic type, and being selected from (A) mono- and dicarboxylic acid salts, (B) sulfonic acid salts, (C) phosphoric mono- and diesters and their mixts., (D) nonionic surfactants formed by

fluorinated and polyoxyalkylenic chains with a number of oxyalkylenic repeating units >6, (E) cationic surfactants having one or more fluorinated hydrophobic chains.

- L4ANSWER 11 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- ΤI Improved method for synthesis of difunctional fluoroalcohols
- AN 1994:8176 CAPLUS
- DN 120:8176
- TI Improved method for synthesis of difunctional fluoroalcohols
- ΑU Juhike, T. J.; Bierschenk, T. R.; Kawa, H.; Lagow, R. J.
- CS Exfluor Res. Corp., Austin, TX, USA
- SO Report (1991), Order No. AD-A245070, 46 pp. Avail.: NTIS From: Gov. Rep. Announce. Index (U. S.) 1992, 92(9), Abstr. No. 222,829
- DTReport
- LΑ English
- CASREACT 120:8176 OS
- AB A series of fluorinated diacids were prepared by the direct fluorination of hydrocarbon acid derivs. with fluorine gas. These diacids were then reduced to fluorinated alc. with sodium borohydride. A miniplant capable of producing fluorinated diols at a rate of five pounds per day was constructed to demonstrate the technol. The resulting diols were obtained in much better yields than by conventional synthetic fluorocarbon chemical In addition, diols of perfluoropolyether acids were made that are not available using other synthetic methods. The compds. prepared for this contract were 2,2,3,3,4,4-hexafluoropentane-1,5-diol, 2,2,3,3,4,4,5,5octafluorohexane-1,6-diol, 2,2,4,4,5,5,7,7-octafluoro-3,6-dioxaoctane-1,8diol, and 2,2,3,3,4,4,6,6,7,7,8,8,9,9,11,11,12,12,13,13,14,14,16,16,17,17, 18,18-octacosafluoro-5,10,15-trioxanonadecane-1,19-diol.
- L4ANSWER 12 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- ΤI Synthesis of perfluoro(polyether) difunctional compounds
- AN1978:508039 CAPLUS
- DN 89:108039
- ΤI Synthesis of perfluoro(polyether) difunctional compounds
- ΑU Soloski, E. J.; Tamborski, C.; Psarras, T.
- CS Air Force Mater. Lab., Wright-Patterson AFB, OH, USA
- SO Journal of Fluorine Chemistry (1978), 11(6), 601-12 CODEN: JFLCAR; ISSN: 0022-1139
- DT Journal
- LΑ English
- AB ω-Iodoperfluoro(polyether) esters IRfOQfCO2R (I; Rf = perfluoroalkylene, Qf = perfluoroalkylene moiety containing O atoms in chain, R = Me or Et) were prepared by 2 procedures. I reacted via Zn coupling reactions to give α, ω -perfluoro(polyether) diesters. diesters serve as convenient starting materials for the preparation of a variety of other difunctional compds. of high mol. weight and exhibiting a variation of O-C ratio.
- ANSWER 13 OF 13 CAPLUS COPYRIGHT 2006 ACS on STN
- ΤI Perfluorinated rubbery polymers
- AN 1969:413967 CAPLUS
- DN -71:13967
- TI Perfluorinated rubbery polymers
- Minnesota Mining and Manufacturing Co. PA
- SO Fr., 8 pp.
 - CODEN: FRXXAK
- DT Patent
- LA French
- FAN.CNT 1
 - PATENT NO. KIND DATE APPLICATION NO. DATE
- PΙ 19680510 FR 1967-107951 19670526
- The title polymers, which are resistant to solvents and stable at high AB temperature, are prepared from perfluorodi-carboxylic acids by pyrolysis of the corresponding Hg salts, and by uv irradiation or heating of the related

nitriles in the presence of HCl. Thus, 10 g. of the Hg salt of perfluoro-4-oxaheptanedioic acid was heated 45 min. at 150-200°/16 mm. The temperature was then raised to 230° in 10 min. and slowly to 300° in 2 hrs., after which CO2 evolution became quite slow. The pressure and temperature were then raised to 150 mm. and 350° in the course of 2 hrs., and heating was continued at 345-65° for 2 hrs., while allowing the pressure to rise to atmospheric The rubbery polymeric product

was washed with HNO3, H2O, and Me2CO and agitated with a perfluorinated cyclic ether (FC 75) for 2 days. The resultant mixture was filtered, and the insol. residue was dried in vacuo at 75° to yield 0.5 g. of grayish elastomer, the ir spectrum of which indicated a structure [O(CF2)4]n terminated with carboxyl groups. Polymers were similarly prepared from the Hg salts of perfluoroglutaric acid, a mixture (I) containing HO2C[CF(CF3)OCF2]3(CF2)4[CF2OCF(CF3)]3CO2H, HO2C[CF(CF3)OCF2]2(CF2)4[CF2OC F(CF3)]4CO2H, and HO2CCF(CF3)O(CF2)5[CF2OCF(CF3)]5CO2H, and the acid trimer from NC(CF2)3COC1, HO2C(CF2)5O(CF2CF2O)4CF2CO2H, and perfluorobutyric acid. In another example, the dinitrile of a mixture (II) analogous to I with the formula C58F112O2OH2 was heated 8 hrs. at 200-50° in a sealed tube in the presence of anhydrous HCl, after which HCl was removed in vacuo to give a rubbery product, which was insol. in perfluoroheptane (III) and contained triazine units. Irradiation of the dinitrile of II with unfiltered uv light also gave a rubbery solid which was insol. in III and contained polyazine units.

=> logoff hold COST IN U.S. DOLLARS TOTAL SINCE FILE ENTRY SESSION FULL ESTIMATED COST 41.72 41.93 TOTAL DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE ENTRY SESSION CA SUBSCRIBER PRICE -6.00 -6.00

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 09:57:36 ON 03 OCT 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

Web Page URLs for STN Seminar Schedule - N. America NEWS NEWS "Ask CAS" for self-help around the clock NEWS FEB 27 New STN AnaVist pricing effective March 1, 2006 MAY 10 CA/CAplus enhanced with 1900-1906 U.S. patent records NEWS 4 NEWS 5 MAY 11 KOREAPAT updates resume NEWS 6 MAY 19 Derwent World Patents Index to be reloaded and enhanced MAY 30 IPC 8 Rolled-up Core codes added to CA/CAplus and NEWS USPATFULL/USPAT2 NEWS MAY 30 The F-Term thesaurus is now available in CA/CAplus NEWS JUN 02 The first reclassification of IPC codes now complete in INPADOC NEWS 10 JUN 26 TULSA/TULSA2 reloaded and enhanced with new search and

and display fields NEWS 11 JUN 28 Price changes in full-text patent databases EPFULL and PCTFULL NEWS 12 JUl 11 CHEMSAFE reloaded and enhanced NEWS 13 JUl 14 FSTA enhanced with Japanese patents NEWS 14 JUl 19 Coverage of Research Disclosure reinstated in DWPI NEWS 15 AUG 09 INSPEC enhanced with 1898-1968 archive NEWS 16 AUG 28 ADISCTI Reloaded and Enhanced NEWS 17 AUG 30 CA(SM)/CAplus(SM) Austrian patent law changes CA/CAplus enhanced with more pre-1907 records NEWS 18 SEP 11 NEWS 19 SEP 21 CA/CAplus fields enhanced with simultaneous left and right truncation NEWS 20 SEP 25 CA(SM)/CAplus(SM) display of CA Lexicon enhanced NEWS 21 SEP 25 CAS REGISTRY(SM) no longer includes Concord 3D coordinates NEWS 22 SEP 25 CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine NEWS 23 SEP 28 CEABA-VTB classification code fields reloaded with new classification scheme

NEWS EXPRESS JUNE 30 CURRENT WINDOWS VERSION IS V8.01b, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 JUNE 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8
NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 11:12:05 ON 03 OCT 2006

=> logoff hold COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 11:12:26 ON 03 OCT 2006